


**VINYL-INSULATED**  
BUTT SPLICE  
CONNECTORS  
PVC绝缘中接管端子



ITEM NO 品名	MATERIAL 材质	DIMENSIONS 尺寸 Inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm <sup>2</sup>
		D	d	L	F	t	BOX 盒子	CARTON 纸箱	
VB1.25S	COPPER PLATE铜板	0.157(4.00)	0.069(1.75)	0.945(24.00)	0.591(15.00)	0.020(0.50)	2,000	12,000	22-16 A.W.G. 0.5-1.5 mm <sup>2</sup>
VB1.25M	COPPER PLATE铜板	0.169(4.30)	0.083(2.10)	1.004(25.50)		0.026(0.65)	2,000	12,000	
VB1.25	COPPER PLATE铜板		0.067(1.70)			0.030(0.75)	2,000	12,000	
VB1.25T	COPPER TUBULAR铜管		0.067(1.70)			2,000	12,000		
VB2S	COPPER PLATE铜板		0.091(2.30)			0.945(24.00)	0.020(0.50)	2,000	12,000
VB2M	COPPER PLATE铜板	0.110(2.80)	1.004(25.50)	0.026(0.65)		2,000	12,000		
VB2	COPPER PLATE铜板	0.091(2.30)		0.031(0.80)		2,000	12,000		
VB2T	COPPER TUBULAR铜管	0.094(2.40)		2,000		12,000			
VB5.5S	COPPER PLATE铜板	0.248(6.30)		0.150(3.80)		1.004(25.50)	0.020(0.50)	1,000	6,000
VB5.5M	COPPER PLATE铜板	0.256(6.50)	0.150(3.80)	1.063(27.00)		0.030(0.75)	1,000	6,000	
VB5.5	COPPER PLATE铜板		0.134(3.40)			0.039(1.00)	1,000	6,000	
VB5.5T	COPPER TUBULAR铜管		0.141(3.57)			0.037(0.95)	1,000	6,000	
VB8T	COPPER TUBULAR铜管		0.276(7.00)		0.177(4.50)	1.299(33.00)	0.827(21.00)	0.039(1.00)	200
VB8ST	COPPER TUBULAR铜管	0.268(6.80)	0.177(4.50)	1.614(41.00)	1.181(30.00)	0.031(0.80)	200	2,000	6 A.W.G. 14 mm <sup>2</sup>
VB14T	COPPER TUBULAR铜管	0.409(10.4)	0.252(6.40)	1.614(41.00)	1.083(27.50)	0.051(1.30)	100	1,000	
VB14ST	COPPER TUBULAR铜管	0.394(10.0)	0.228(5.80)	1.575(40.00)	1.181(30.00)	0.039(1.00)	100	1,000	4 A.W.G. 22 mm <sup>2</sup>
VB22T	COPPER TUBULAR铜管	0.512(13.0)	0.323(8.20)	1.614(41.00)	1.201(30.50)	0.061(1.55)	100	1,000	
VB22ST	COPPER TUBULAR铜管	0.429(10.9)	0.295(7.50)	1.594(40.50)	1.181(30.00)	0.039(1.00)	100	1,000	2 A.W.G. 38 mm <sup>2</sup>
VB38T	COPPER TUBULAR铜管	0.555(14.1)	0.398(10.1)	1.791(45.50)	1.319(33.50)	0.063(1.60)	50	500	
VB38ST	COPPER TUBULAR铜管	0.555(14.1)	0.378(9.60)	1.791(45.50)	1.319(33.50)	0.059(1.50)	50	500	



**KONEKTORY BRNO s.r.o.**  
Musilova 1, Brno 61400  
tel. 541 212 577  
www.konektor.cz



## NYLON-INSULATED

BUTT SPLICE  
CONNECTORS  
尼龙绝缘中接管端子



ITEM NO 品名	MATERIAL 材质	DIMENSIONS 尺寸 inch(mm)				STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm <sup>2</sup>
		D	d	L	t	BOX 盒子	CARTON 纸箱	
AEB1.25S-TR	COPPER PLATE 铜板	0.150(3.80)	0.069(1.75)	0.992(25.20)	0.020(0.50)	2,000	12,000	22-16 A.W.G. 0.5-1.5 mm <sup>2</sup>
AEB1.25M-TR	COPPER PLATE 铜板		0.083(2.10)		0.030(0.75)			
AEB1.25-TR	COPPER PLATE 铜板		0.067(1.70)					
AEB1.25T-TR	COPPER TUBULAR 铜管		0.067(1.70)					
AEB2S-TR	COPPER PLATE 铜板	0.177(4.50)	0.091(2.30)	1.004(25.50)	0.020(0.50)	2,000	12,000	16-14 A.W.G. 1.5-2.5 mm <sup>2</sup>
AEB2M-TR	COPPER PLATE 铜板		0.110(2.80)		0.026(0.65)			
AEB2-TR	COPPER PLATE 铜板		0.091(2.30)					
AEB2T-TR	COPPER TUBULAR 铜管		0.094(2.40)					
AEB5.5S-TR	COPPER PLATE 铜板	0.276(7.00)	0.150(3.80)	1.083(27.50)	0.020(0.50)	1,000	6,000	12-10 A.W.G. 4-6 mm <sup>2</sup>
AEB5.5M-TR	COPPER PLATE 铜板		0.150(3.80)		0.030(0.75)			
AEB5.5-TR	COPPER PLATE 铜板		0.134(3.40)					
AEB5.5T-TR	COPPER TUBULAR 铜管		0.141(3.57)					

## HEAT SHRINK-INSULATED

BUTT SPLICE  
CONNECTORS  
热收缩绝缘中接管端子



ITEM NO 品名	MATERIAL 材质	DIMENSIONS 尺寸 inch(mm)				STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm <sup>2</sup>
		L	d1	F	t	BOX 盒子	CARTON 纸箱	
KB1.25S-TR	COPPER PLATE 铜板	1.496(38.00)	0.069(1.75)	0.591 (15.0)	0.020(0.50)	1,000	6,000	22-16 A.W.G. 0.5-1.5 mm <sup>2</sup>
KB1.25M-TR			0.083(2.10)		0.026(0.65)			
KB1.25-TR			0.067(1.70)		0.030(0.75)			
KB1.25T-TR	COPPER TUBULAR 铜管	1.496(38.00)	0.069(1.75)	0.591 (15.0)	0.020(0.50)	1,000	6,000	22-16 A.W.G. 0.5-1.5 mm <sup>2</sup>
KB1.25ST-TR			0.069(1.75)		0.020(0.50)			
KB2S-TR	COPPER PLATE 铜板	1.378(35.00)	0.091(2.30)	0.591 (15.0)	0.020(0.50)	1,000	6,000	16-14 A.W.G. 1.5-2.5 mm <sup>2</sup>
KB2M-TR			0.110(2.80)		0.026(0.65)			
KB2-TR			0.091(2.30)		0.031(0.80)			
KB2T-TR	COPPER TUBULAR 铜管	1.378(35.00)	0.094(2.40)	0.591 (15.0)	0.020(0.50)	1,000	6,000	16-14 A.W.G. 1.5-2.5 mm <sup>2</sup>
KB2ST-TR			0.091(2.30)		0.020(0.50)			
KB5.5S-TR	COPPER PLATE 铜板	1.594(40.50)	0.150(3.80)	0.591 (15.0)	0.020(0.50)	500	3,000	12-10 A.W.G. 4-6 mm <sup>2</sup>
KB5.5M-TR			0.150(3.80)		0.030(0.75)			
KB5.5-TR			0.134(3.40)		0.039(1.00)			
KB5.5T-TR	COPPER TUBULAR 铜管	1.594(40.50)	0.141(3.57)	0.591 (15.0)	0.037(0.95)	500	3,000	12-10 A.W.G. 4-6 mm <sup>2</sup>
KB5.5MT-TR			0.150(3.80)		0.030(0.75)			

[Return to the index page](#)



**HEAT SHRINK-INSULATED  
PARALLEL  
CONNECTORS**  
热收缩绝缘平行端子



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)				STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm <sup>2</sup>
	BUTTED SEAM 不焊接	d1	L	F	t	BOX 盒子	
KPT1.25-TR	0.067(1.70)	1.378(35.00)	0.315(0.80)	0.031(0.80)	1,000	6,000	22-16 A.W.G. 0.5-1.5 mm <sup>2</sup>
KPT2-TR	0.094(2.40)	1.378(35.00)			1,000	6,000	16-14 A.W.G. 1.5-2.5 mm <sup>2</sup>
KPT5.5-TR	0.142(3.60)	1.378(35.00)	0.335(8.50)	0.039(1.00)	500	3,000	12-10 A.W.G. 4-6 mm <sup>2</sup>

**VINYL-INSULATED  
PARALLEL CONNECTORS**  
PVC绝缘平行端子



ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G. mm <sup>2</sup>
	BUTTED SEAM 不焊接	D	d	L	F	t	BOX 盒子	
VPT1.25	0.170(4.30)	0.067(1.70)	0.709(18.00)	0.315(8.00)	0.031(0.80)	2,000	12,000	22-16 A.W.G. 0.5-1.5 mm <sup>2</sup>
VPT2	0.197(5.00)	0.094(2.40)				2,000	12,000	16-14 A.W.G. 1.5-2.5 mm <sup>2</sup>
VPT5.5	0.260(6.70)	0.138(3.50)	0.846(21.50)	0.335(8.50)	0.339(1.00)	1,000	6,000	12-10 A.W.G. 4-6 mm <sup>2</sup>

**KONEKTORY BRNO s.r.o.**  
Musilova 1, Brno 61400  
tel. 541 212 577  
www.konektor.cz