

Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,80 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*



Cable Type codes: 1005 + 1005
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 0,80 + 1005 2,00		2,03 + 2,58	90	1,80	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1005 1,00 + 1005 1,00		2,23 + 2,23	120	1,70	0,05	4,25	0,10	2,80	0,10	6,70	0,20
1005 1,00 + 1005 2,00		2,23 + 2,58	120	1,75	0,05	4,25	0,10	2,80	0,10	6,70	0,20
1005 2,00 + 1005 2,00		2,58 + 2,58	180	1,70	0,05	4,70	0,10	3,20	0,10	6,70	0,20

Cable type code legend:

1005:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, PVDF, XLPE
 Insul. Wall Designator: THIN



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*



Cable Type codes: 1005 + 1005
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 2,00 + 1005 2,00		2,58 + 2,58	180	1,70	0,05	4,70	0,10	3,20	0,10	6,70	0,20

Cable type code legend:

1005:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, PVDF, XLPE
 Insul. Wall Designator: THIN



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 1,00 | 3,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*



Cable Type codes: 1005 + 1005
 Crimp Process: (S) SOLDER - CRIMP AND SWEAT - CORE IS DIP SOLDERED
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 1,00 + 1005 3,00		2,23 + 3,13	120	1,90	0,05	4,30	0,10	3,20	0,10	6,70	0,20

Cable type code legend:

1005:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, PVDF, XLPE
 Insul. Wall Designator: THIN



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,80

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*



Cable Type codes: 1005 + 1005 + 1005
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 0,80 + 1005 0,80 + 1005 0,80		2,03 + 2,03 + 2,03	90	1,80	0,05	4,25	0,10	3,20	0,10	6,80	0,20

Cable type code legend:

1005:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, PVDF, XLPE
 Insul. Wall Designator: THIN



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,80 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1005 + 1007
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 0,80 + 1007 2,00		2,03 + 2,98	90	1,80	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1005 1,00 + 1007 1,00		2,23 + 2,58	120	1,70	0,05	4,25	0,10	3,00	0,10	6,70	0,20
1005 1,00 + 1007 2,00		2,23 + 2,98	120	1,75	0,05	4,25	0,10	3,20	0,10	7,30	0,20
1005 2,00 + 1007 2,00		2,58 + 2,98	180	1,70	0,05	4,70	0,10	3,20	0,10	6,70	0,20



Cable type code legend:

1005:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, PVDF, XLPE
 Insul. Wall Designator: THIN

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 1,00 | 3,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1005 + 1007
 Crimp Process: (S) SOLDER - CRIMP AND SWEAT - CORE IS DIP SOLDERED
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 1,00 + 1007 3,00		2,23 + 3,63	120	1,90	0,05	4,30	0,10	3,20	0,10	6,70	0,20



Cable type code legend:

1005:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, PVDF, XLPE
 Insul. Wall Designator: THIN

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1005 + 1009
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 2,00 + 1009 2,00		2,58 + 3,73	180	1,70	0,05	4,70	0,10	3,50	0,10	7,10	0,20



Cable type code legend:

1005:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, PVDF, XLPE
 Insul. Wall Designator: THIN

1009:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: SPECIAL



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 0,80 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*



Cable Type codes: 1007 + 1007
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 0,50 + 1007 1,00		2,15 + 2,58	80	1,70	0,05	4,65	0,10	3,20	0,10	7,10	0,20
1007 0,50 + 1007 2,00		2,15 + 2,98	80	1,70	0,05	4,25	0,10	3,00	0,10	6,80	0,20
1007 0,80 + 1007 1,00		2,33 + 2,58	90	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1007 0,80 + 1007 2,00		2,33 + 2,98	90	1,80	0,05	4,30	0,10	3,30	0,10	6,90	0,20
1007 1,00 + 1007 1,00		2,58 + 2,58	120	1,70	0,05	4,25	0,10	3,00	0,10	6,70	0,20
1007 1,00 + 1007 2,00		2,58 + 2,98	120	1,75	0,05	4,25	0,10	3,10	0,10	6,90	0,20
1007 2,00 + 1007 2,00		2,98 + 2,98	180	1,70	0,05	4,70	0,10	3,30	0,10	7,00	0,20

Cable type code legend:

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,80 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*



Cable Type codes: 1007 + 1007
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 0,80 + 1007 1,00		2,33 + 2,58	90	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1007 1,00 + 1007 1,00		2,58 + 2,58	120	1,70	0,05	4,25	0,10	3,00	0,10	6,70	0,20
1007 1,00 + 1007 2,00		2,58 + 2,98	120	1,75	0,05	4,25	0,10	3,10	0,10	6,90	0,20
1007 2,00 + 1007 2,00		2,98 + 2,98	180	1,70	0,05	4,70	0,10	3,30	0,10	7,00	0,20

Cable type code legend:

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 1,00 | 3,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*



Cable Type codes: 1007 + 1007
 Crimp Process: (S) SOLDER - CRIMP AND SWEAT - CORE IS DIP SOLDERED
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 1,00 + 1007 3,00		2,58 + 3,63	120	2,00	0,05	4,75	0,10	3,50	0,10	7,10	0,20

Cable type code legend:

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 0,80 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1007 + 1009
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 0,50 + 1009 1,00		2,15 + 3,17	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1007 0,80 + 1009 1,00		2,33 + 3,17	90	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1007 0,80 + 1009 2,00		2,33 + 3,73	90	1,80	0,05	4,30	0,10	3,20	0,10	7,20	0,20
1007 1,00 + 1009 1,00		2,58 + 3,17	120	1,70	0,05	4,25	0,10	3,10	0,10	6,90	0,20
1007 1,00 + 1009 2,00		2,58 + 3,73	120	1,75	0,05	4,25	0,10	3,20	0,10	7,10	0,20
1007 2,00 + 1009 2,00		2,98 + 3,73	180	1,70	0,05	4,70	0,10	3,50	0,10	7,20	0,20



Cable type code legend:

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR

1009:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: SPECIAL



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,80 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1007 + 1009
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 0,80 + 1009 2,00		2,33 + 3,73	90	1,80	0,05	4,30	0,10	3,20	0,10	7,20	0,20



Cable type code legend:

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR

1009:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: SPECIAL



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 0,80 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1007 + 1011
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 0,50 + 1011 1,00		2,15 + 3,45	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1007 0,80 + 1011 1,00		2,33 + 3,45	90	1,70	0,05	4,25	0,10	3,00	0,10	7,10	0,20
1007 0,80 + 1011 2,00		2,33 + 3,90	90	1,80	0,05	4,30	0,10	3,20	0,10	7,20	0,20
1007 1,00 + 1011 1,00		2,58 + 3,45	120	1,70	0,05	4,25	0,10	3,10	0,10	7,00	0,20
1007 2,00 + 1011 2,00		2,98 + 3,90	180	1,70	0,05	4,70	0,10	3,70	0,10	7,20	0,20



Cable type code legend:

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR

1011:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE
 Insul. Wall Designator: HEAVY DUTY



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 0,80 | 1,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1007 + 1094
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 0,50 + 1094 1,00		2,15 + 3,03	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1007 0,80 + 1094 1,00		2,33 + 3,03	90	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1007 1,00 + 1094 1,00		2,58 + 3,03	120	1,70	0,05	4,25	0,10	3,10	0,10	6,90	0,20



Cable type code legend:

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR

1094:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: HEAVY DUTY



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 0,51 | 0,80 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1009 + 1007
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 0,50 + 1007 2,00		2,45 + 2,98	80	1,70	0,05	4,25	0,10	3,00	0,10	6,80	0,20
1009 0,51 + 1007 2,00		2,45 + 2,98	80	1,70	0,05	4,25	0,10	3,00	0,10	6,80	0,20
1009 0,80 + 1007 1,00		2,78 + 2,58	90	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1009 0,80 + 1007 2,00		2,78 + 2,98	90	1,80	0,05	4,30	0,10	3,20	0,10	7,20	0,20
1009 1,00 + 1007 2,00		3,17 + 2,98	120	1,75	0,05	4,25	0,10	3,20	0,10	7,10	0,20



Cable type code legend:

1009:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: SPECIAL

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 0,51 | 0,80 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*



Cable Type codes: 1009 + 1009
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 0,50 + 1009 1,00		2,45 + 3,17	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1009 0,51 + 1009 1,00		2,45 + 3,17	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1009 0,80 + 1009 0,80		2,78 + 2,78	90	1,60	0,05	4,20	0,10	3,00	0,10	6,90	0,20
1009 0,80 + 1009 1,00		2,78 + 3,17	90	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1009 0,80 + 1009 2,00		2,78 + 3,73	90	1,80	0,05	4,30	0,10	3,20	0,10	7,20	0,20
1009 1,00 + 1009 1,00		3,17 + 3,17	120	1,70	0,05	4,25	0,10	3,10	0,10	7,00	0,20
1009 1,00 + 1009 2,00		3,17 + 3,73	120	1,75	0,05	4,25	0,10	3,20	0,10	7,30	0,20

Cable type code legend:

1009:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: SPECIAL



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,80 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*



Cable Type codes: 1009 + 1009
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 0,80 + 1009 0,80		2,78 + 2,78	90	1,60	0,05	4,20	0,10	3,00	0,10	6,90	0,20
1009 0,80 + 1009 2,00		2,78 + 3,73	90	1,80	0,05	4,30	0,10	3,20	0,10	7,20	0,20
1009 1,00 + 1009 1,00		3,17 + 3,17	120	1,70	0,05	4,25	0,10	3,10	0,10	7,00	0,20

Cable type code legend:

1009:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: SPECIAL



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 0,51 | 0,80 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1009 + 1011
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 0,50 + 1011 1,00		2,45 + 3,45	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1009 0,51 + 1011 1,00		2,45 + 3,45	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1009 0,80 + 1011 1,00		2,78 + 3,45	90	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1009 0,80 + 1011 2,00		2,78 + 3,90	90	1,80	0,05	4,30	0,10	3,20	0,10	7,20	0,20
1009 1,00 + 1011 1,00		3,17 + 3,45	120	1,70	0,05	4,25	0,10	3,20	0,10	7,10	0,20
1009 1,00 + 1011 2,00		3,17 + 3,90	120	1,75	0,05	4,25	0,10	3,20	0,10	7,30	0,20



Cable type code legend:

1009:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: SPECIAL

1011:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE
 Insul. Wall Designator: HEAVY DUTY



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 0,51 | 0,80 | 1,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1009 + 1094
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 0,50 + 1094 1,00		2,45 + 3,03	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1009 0,51 + 1094 1,00		2,45 + 3,03	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1009 0,80 + 1094 1,00		2,78 + 3,03	90	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20



Cable type code legend:

1009:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: SPECIAL

1094:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: HEAVY DUTY



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,80 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1011 + 1007
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1011 0,80 + 1007 2,00		3,13 + 2,98	90	1,80	0,05	4,30	0,10	3,20	0,10	7,20	0,20



Cable type code legend:

1011:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE
 Insul. Wall Designator: HEAVY DUTY

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1011 + 1009
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1011 1,00 + 1009 2,00		3,45 + 3,73	120	1,75	0,05	4,25	0,10	3,20	0,10	7,30	0,20



Cable type code legend:

1011:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE
 Insul. Wall Designator: HEAVY DUTY

1009:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: SPECIAL



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,80 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*



Cable Type codes: 1011 + 1011
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1011 0,80 + 1011 0,80		3,13 + 3,13	90	1,65	0,05	4,70	0,10	3,50	0,10	7,10	0,20
1011 1,00 + 1011 1,00		3,45 + 3,45	120	1,70	0,05	4,25	0,10	3,20	0,10	7,10	0,20
1011 1,00 + 1011 2,00		3,45 + 3,90	120	1,75	0,05	4,25	0,10	3,20	0,10	7,30	0,20

Cable type code legend:

1011:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE
 Insul. Wall Designator: HEAVY DUTY



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1094 + 1007
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1094 0,50 + 1007 2,00		2,43 + 2,98	80	1,70	0,05	4,25	0,10	3,00	0,10	6,80	0,20
1094 1,00 + 1007 2,00		3,03 + 2,98	120	1,75	0,05	4,25	0,10	3,20	0,10	7,10	0,20



Cable type code legend:

1094:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: HEAVY DUTY

1007:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPA/PVDF, XLPE
 Insul. Wall Designator: REGULAR



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1094 + 1009
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1094 0,50 + 1009 1,00		2,43 + 3,17	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1094 1,00 + 1009 1,00		3,03 + 3,17	120	1,70	0,05	4,25	0,10	3,10	0,10	7,00	0,20
1094 1,00 + 1009 2,00		3,03 + 3,73	120	1,75	0,05	4,25	0,10	3,20	0,10	7,30	0,20



Cable type code legend:

1094:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: HEAVY DUTY

1009:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: SPECIAL



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1094 + 1011
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1094 0,50 + 1011 1,00		2,43 + 3,45	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1094 1,00 + 1011 1,00		3,03 + 3,45	120	1,70	0,05	4,25	0,10	3,20	0,10	7,10	0,20
1094 1,00 + 1011 2,00		3,03 + 3,90	120	1,75	0,05	4,25	0,10	3,20	0,10	7,30	0,20



Cable type code legend:

1094:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: HEAVY DUTY

1011:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE
 Insul. Wall Designator: HEAVY DUTY



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 0,50 | 1,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*



Cable Type codes: 1094 + 1094
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1094 0,50 + 1094 1,00		2,43 + 3,03	80	1,70	0,05	4,25	0,10	3,30	0,10	6,50	0,20
1094 1,00 + 1094 1,00		3,03 + 3,03	120	1,70	0,05	4,25	0,10	3,10	0,10	7,00	0,20

Cable type code legend:

1094:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, XLPE
 Insul. Wall Designator: HEAVY DUTY



Crimp Information Sheet

Terminal Part Number: 12124522
 Surface Plating: SN
 Material Thickness [mm]: 0,46
 Cross Section [mm²]: 2,50

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 2010 + 2010
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2010 2,50 + 2010 2,50	SIDE	2,80 + 2,80	250	2,30	0,05	4,60	0,10	4,25	0,10	5,90	0,10

Cable type code legend:

2010: ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR (AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B

Industry Designator: DIN
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE, XLPE/PVDF, XLPVC
 Insul. Wall Designator: THIN

