

Part number

CDFA 1.5



Female crimp contact, CD series, 10 A, turned silver plated, wire cross section 1,5 mm², AWG 16


Product description		Approvals / Standards	
Product type	Crimp contact	Certifications	CSA, EAC
Series	CD	UL	ECBT2
Gender	Female	General ordering information	
Technical data		EAN13 code	8015747014687
Current	10 A	eCl@ss 8.1	27440204
Wire cross-section	1,50 mm ²	ETIM 7.0	EC000796
AWG size	16	Packaging Information	
Contact type	Turned silver plated	Packaging length	112,00 mm
Further technical details		Packaging height	95,00 mm
Contact resistance	≤ 0,3 mΩ	Packaging width	117,00 mm
Weight	0,65 g	Packaging weight	1,23 kg
Operating temperature range (min, max)	-40°C ... +125°C	Packaging volume	1,24 dm ³
Conductors stripping length	8 mm	Packaging description	Carton box
		Packaging quantity	1600 Pcs
		Packaging EAN code	8015747103992
		Sub-packaging length	50,00 mm
		Sub-packaging height	44,00 mm
		Sub-packaging width	50,00 mm
		Sub-packaging weight	0,15 kg
		Sub-packaging volume	0,11 dm ³
		Sub-packaging description	Plastic box
		Sub-packaging quantity	200 Pcs
		Sub-packaging EAN barcode	8015747014694

Part number

CDFA 1.5



Catalogue drawings



CDF and CDM contacts

conductor section mm ²	conductor slot $\varnothing A$ (mm)	conductors stripping length B (mm)
0,14-0,37	0,9	8
0,5	1,1	8
0,75	1,3	8
1,0	1,45	8
1,5	1,8	8
2,5	2,2	6

Notes

Dimensions shown in mm are not binding and may be changed without notice.

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.
